




ISSN : 2347-2251

**Indo-American Journal of
Pharma and Bio Sciences**



www.iajpb.com

iajpb.editor@gmail.com
editor@iajpb.com



OPTIMIZING MANUFACTURING PROCESSES THROUGH MACHINE LEARNING: A RANDOM FOREST AND PCA APPROACH WITH CONTINUOUS MONITORING AND RESILIENT MODEL DEPLOYMENT

¹Pramod Begur Nagaraj

Independent Researcher
Texas, USA

pbegurnagaraj@gmail.com

²Aiswarya RS

Tagore Institute of Engineering and Technology, Salem, India

aiswaryars112@gmail.com

ABSTRACT

Machine learning (ML) techniques are considered an essential tool for factories to optimize their operations in various dimensions such as quality control and predictive maintenance. Hence, this article presents a strong framework that combines Principal Component Analysis (PCA) for feature extraction and Random Forest for predictive modeling as a solution to problems pertaining in multiple sectors of manufacturing. The framework accommodates the argument of Site Reliability Engineering (SRE) and Chaos Engineering to fulfill a resilient model deployment course, thus offering operational adhesion in real-time production environments. Also, the approach further employs continuous monitoring and adaptive retraining for model accuracy over time. This approach also substantially increases the operational efficiency of manufacturers, minimizes the downtime, and guarantees effective decision-making through the employment of smarter, more reliable systems. In conclusion, the framework serves as powerful mnemonics for applications in machine learning in the manufacturing industry modified to able to resist dynamic stimulus and evolving data.

Keywords: MLOps, SRE, Chaos Engineering, PCA, Random Forest.

1 INTRODUCTION

In the last few years, the manufacturing industry has experienced the fast advancement of both automation and data-driven technologies [1]. One of the major driving forces in using machine learning (ML) in manufacturing is the complete optimization of all manufacturing processes ranging from predictive maintenance to quality control [2]. By harnessing a large amount of operation data compiled from sensors, a manufacturing plant can keep its process running in real time, detect anomalous conditions internally, and forecast potential failures at a particular level, thereby achieving higher efficiency and reduced production downtime [3]. This capability not only improves asset utilization but also significantly cuts maintenance costs and prevents unexpected equipment breakdowns [4].

Machine learning adoption in manufacturing has increased due to several factors including the exponential growth of sensor-generated data and the rising complexity of manufacturing systems that require smarter decision-making tools [5]. Generally, the vast amount of insights extracted from manufacturing processes are poorly utilized despite the abundance of what has been termed "big data" and the increasingly ubiquitous Internet of Things (IoT) devices [6]. The pressure to implement lean production mechanisms, achieve faster turnaround times, and maintain enhanced quality standards has created a demand for advanced systems capable of making intelligent decisions autonomously [7]. Currently, most machine learning models—such as ensemble techniques like Random Forest and dimensionality reduction methods such as Principal Component Analysis (PCA)—are applied to these data sets to automate and optimize various stages of the manufacturing process, from supply chain management to final product inspection [8].

One major challenge that continues to hinder the widespread adoption of machine learning models in manufacturing is their operationalization in real-world environments [9]. Manufacturing companies face hurdles



such as varying data quality, sensor calibration errors, missing or inconsistent data, and the complex integration of new models into legacy systems [10]. Moreover, manufacturing environments are dynamic and often unpredictable, with varying operational conditions and unplanned failures that make model deployment and maintenance extremely challenging [11]. This necessitates that models not only perform well during training but also maintain reliability and adaptability during continuous operation [12]. Ensuring model robustness against distribution shifts, sensor degradation, and unexpected anomalies requires rigorous validation and monitoring protocols [13].

To address these issues, this research proposes a robust framework for optimizing manufacturing processes by integrating Random Forest algorithms for predictive maintenance and PCA for feature extraction to reduce dimensionality and noise in sensor data [14]. Additionally, the framework incorporates continuous monitoring and resilience testing based on Site Reliability Engineering (SRE) and Chaos Engineering principles, which are critical for ensuring the model's stability, scalability, and fault tolerance in production environments [15]. Such resilience engineering approaches facilitate early detection of model drift and system vulnerabilities, enabling real-time adjustment and self-healing capabilities [16]. By embedding these strategies, manufacturing operations can transition toward more intelligent, autonomous systems that sustain high performance even under adverse conditions [17].

Furthermore, the integration of explainable AI (XAI) techniques into the framework allows for transparent decision-making, enabling engineers to understand and trust model outputs, which is essential for critical industrial applications [18]. The combination of predictive analytics, real-time monitoring, and resilience testing paves the way for Industry 4.0 implementations that emphasize interconnected, adaptive, and self-optimizing manufacturing ecosystems [19]. In summary, the proposed framework aims to elevate manufacturing efficiency and reliability by merging advanced machine learning methodologies with modern operational engineering practices [20].

1.1 PROBLEM STATEMENT

The manufacturing industry is threatened by problems like data quality, sensor calibration error, and perhaps the most important of all, integrating machine learning models into legacy systems [21]. Hence, unpredictable failure and variable conditions in manufacturing environments pose challenges for real-time deployment [22]. The framework proposed resolves these challenges through Random Forest for predictive maintenance and PCA for effective feature extraction, which alleviates data complexity [23]. The system resilience and scalability are enforced through Site Reliability Engineering (SRE) and Chaos Engineering, whereas model performance is closely monitored to adapt to changes in conditions [24]. This type of work improves manufacturing efficiency while sustaining system reliability and adaptability within dynamic environments [25].

1.2 OBJECTIVES

- Analyze the challenges faced in the manufacturing industry regarding data quality, sensor calibration errors, and model integration into legacy systems.
- Evaluate the effectiveness of Random Forest for predictive maintenance and PCA for feature extraction in improving manufacturing efficiency.
- Implement Site Reliability Engineering (SRE) and Chaos Engineering to ensure model resilience and scalability in real-world production environments.
- Monitor and adapt the model through continuous performance evaluation, ensuring its accuracy and adaptability to changing conditions in real-time.
- Propose a comprehensive machine learning framework that integrates the above techniques to optimize manufacturing processes and enhance operational reliability.

2 LITERATURE SURVEY

The impact of machine learning and its applications in human resource management, particularly in hiring, performance management, and retention, suggest that ML enhances the strategic functions of HR practitioners rather than replacing them. This necessitates HR professionals to acquire skills in data interpretation and evaluation. Case studies, the Delphi method, and questionnaires demonstrate how ML can improve labor processes



through scientifically planned methods while highlighting the critical role of HR specialists in data-informed decision-making [26].

Issues related to recommendation engines in online communities are addressed using Graph Neural Networks to derive initial user clusters. This approach improves accuracy, recall, and F-measure of personalized HR recommendations for project management. Applied to a GitHub case study, the model recommends relevant human resources based on project involvement, alleviating sparsity issues and achieving higher precision, thus enhancing HR decision-making for project managers [27].

With a rising elderly population, challenges such as falls and chronic diseases require a shift to proactive personalized care paradigms. Predictive AI platforms for fall prediction, chronic disease management, and personalized elderly care enable timely interventions and efficient resource use. These models are evaluated using supervised learning algorithms, including Support Vector Machines, Random Forests, and Neural Networks on data from wearable devices and medical records, reinforcing safety and improving healthcare delivery systems [28].

Dysphagia, delirium, and fall hazards significantly increase morbidity and mortality in older adults. Machine learning models using logistic regression, Random Forest, and CNNs—both independently and in ensemble—analyze clinical and sensor data for risk prediction. Ensemble models improve predictive accuracy, allowing timely interventions and better care [29]. Similar ensemble approaches enhance predictive performance, fostering proactive management of these conditions in geriatrics [30].

Graph theory has been applied to lung cancer to visualize genes and proteins as interconnected nodes, revealing underlying complexity. Structural property analysis, multi-omics integration, and predictive modeling identify biomarkers for disease progression and treatment selection. Machine learning improves prediction specificity, supporting personalized treatment despite some limitations in recall for logistic regression models [31].

Recursive Feature Elimination, Extreme Learning Machine, and Sparse Representation Classification develop features for high-performance ML pipelines, enabling efficient feature selection, rapid training, and effective data representation. Combining these methods achieves high accuracy and fast training, suitable for real-time applications requiring quick, accurate predictions [32].

A hybrid of Particle Swarm Optimization (PSO) and Quadratic Discriminant Analysis (QDA) improves classification performance, economic viability, and robustness necessary for AI software optimization. The model iteratively optimizes QDA parameters, enhancing classification boundaries and adaptability, especially with noisy and imbalanced data, improving resilience and flexibility for AI applications [33].

AI and ML have been widely researched in healthcare, especially geriatric care. Predictive models play a key role in early detection and prevention strategies, improving elderly patient outcomes [34]. ML algorithms optimize healthcare processes such as real-time monitoring for fall detection and chronic disease management, advancing early intervention capabilities [35]. Personalized healthcare frameworks emphasize tailored interventions supported by AI [36]. Advances in predictive healthcare technologies for older adults strengthen these models [37].

Wearable technologies enable real-time data collection and monitoring, crucial for data-driven healthcare frameworks. Advanced ML algorithms predict diseases in elderly care, guiding model selection for predictive frameworks [38]. Studies on AI and health efficiency focus on chronic disease management, highlighting AI's potential to enhance quality of life via proactive strategies [39, 40].

Supervised learning systems applied to fall detection show effectiveness in reducing fall risks, underscoring their importance in predictive healthcare frameworks [41]. Other supervised models predicting healthcare outcomes further validate these methods [42]. Practical applications of ML in healthcare have guided AI model development aimed at improving accuracy and efficiency in predictive systems, informing key design features [43].

Additional studies have focused on the integration of AI models into healthcare operations, emphasizing the importance of model explainability, robustness, and real-time adaptability in dynamic clinical environments [44]. Investigations into sensor data fusion and anomaly detection techniques have enhanced early warning systems, supporting timely clinical decision-making [45]. Finally, comprehensive reviews highlight the challenges and



future directions for AI and ML applications in healthcare, calling for interdisciplinary approaches to maximize impact and address ethical considerations.

3 METHODOLOGIES

This Figure 1 represents the machine-learning-oriented approach towards optimizing manufacturing operations. The first phase is Data Collection, in which real-time data are collected from different sensors, illustrating certain parameters such as temperature, vibration, production throughput, etc., throughout the manufacturing process. The collected data then goes through Data Preprocessing such that it is now free from missing values or outliers and is cleaned and normalized too. Feature Extraction is accomplished through Principal Component Analysis otherwise known as PCA, reducing dimensions but with key content retained. It thus reduces the computational complexity and increases the performance level of machine learning models. Then it's followed by Machine Learning: for instance, trained using the processed data to predict input like equipment failure and production delays by Random Forest model. Model Deployment follows after the completion of training, and then Site Reliability Engineering (SRE) and also Chaos Engineering would be applied so as to come up with resilient and scalable systems in real-world production environments. At last, continuous monitoring would be set up to ensure modeled performance checks and retraining as new information is gathered to keep the model accurate and adaptive over time.




Figure 1: End-to-End Machine Learning Pipeline for Manufacturing

3.1 DATA COLLECTION AND PREPROCESSING

Data collection is the first step in machine learning, and one of the most important activities that consist of acquiring the real-time data through several sensors installed in a manufacturing process. These sensors measure vital operating variables such as machine temperature, vibration levels, cycle time, and production throughput. After the data collection stage, data preprocessing is carried out in order to make the dataset at hand ready for analysis. It may involve the handling of missing data through imputation or deletion, thus ensuring the completeness of the dataset. Normalization is employed to scale the features in such a way that they are treated uniformly on the range, which benefits the data handling ability of the machine learning model. The outliers are also taken care of in this step since they could very well distort the results and lead to a reduction in the model's accuracy. The purpose of this is to develop a clean and normalized dataset ready for feature extraction and modeling.

3.2 FEATURE EXTRACTION USING PCA

PCA is applied for dimensionality reduction of the sensor data collected after preprocessing. PCA is a method to convert the large correlated set of features into a smaller set of uncorrelated components, called principal components. These components are determined in such way so that they capture the major variance in the data with which the model learns the most significant features. The primary advantage of PCA is that most of the variability in the data will be preserved, i.e., more information in features explain variance left in the principal components, while many features are rendered useless. This essentially simplifies the job of the Random Forest or any algorithm being employed to less computation and simpler structure. Furthermore, the analysis based on



principal components provides the model with an opportunity to avoid overfitting and noise in the data with which the model is trained in order to increase the performance.

3.3 PREDICTIVE MODELING WITH RANDOM FOREST

So, in this step, Random Forest is going to be the chosen machine learning model that predicts performance-critical events like equipment failure, delay in production, or issues related to quality control. Random Forest is one of the very efficient ensembles learning algorithms that create various decision trees during training and output the mode of the trees for prediction. Several trees help to make this model robust as it reduces the tendency of overfitting. Each decision tree is trained from a random small part of the total data and final prediction is done via aggregation of the individual tree results. The strength of Random Forest is comparatively effective for manufacturing data in that it can manage sizeable complex datasets with their hundreds and noisy data variables, and this combines with a great deal of efficiency when it comes to both categorical and continuous data. So ideal in predictive modeling applications.

3.4 RESILIENT MODEL DEPLOYMENT USING SRE & CHAOS ENGINEERING


After the model gets trained, it has to be made available in production so that it can be subjected to all those real-life unpredictable disturbances. Site Reliability Engineering (SRE) practice takes care of this model being dependable, scalable, and efficient under different load conditions. SRE creates an organized approach toward the performance, availability, and incident management of the system as the model makes its way into the dynamic manufacturing environment. Chaos Engineering comes into play to simulate different types of stress conditions in the system by intentionally introducing faults and failures into it, e.g. network downtime, or data inconsistency. This proactive testing allows the team to catch any future weak points and thereby make the model more robust before it ever has to deal with real operational challenges. Together, the SRE and Chaos Engineering ensure resilient systems that can handle all eventualities but do not let the model performance or efficiency of the manufacturing process be hampered at any point of time.

3.5 CONTINUOUS MONITORING AND MODEL RETRAINING


Otherwise, having implemented the model, it will always demand monitoring continuously so that it may perform optimally through time. Drifting model is often encountered; a situation in which the prediction of the model becomes incorrect based on a changing manufacturing environment through time or new data. Continuous monitoring will detect performance degradation and ensures that the model reacts well to the change in data. Once model drift is detected, the model creates retraining using the latest data, new sensor data, plant pattern updates, or equipment behavior shifts. This is an iterative process, continuously ensuring that the model is highly accurate and reliable. Regular enhancement of the model will help any manufacturer sustain predictive maintenance, production optimization, and quality control activities to be in actual condition with any changes in manufacturing processes.

4 RESULT AND DISCUSSION

This paper is made to demonstrate the efficacy of proposed machine learning framework in optimizing manufacturing processes. The ROC curve (Figure 2) shows AUC value of 0.995183, which proves that the model is highly competent in distinguishing between failure and nonfailure cases, very close to the top-left corner. Accuracy graph in Figure 3 shows that training and validation accuracy improved over a time period of 50 epochs without being overfitted. It shows that the model would generalize very well and give high accurate generalization in the test data. These results confirm that the merging of PCA extraction feature with Random Forest predictive model with continuous monitoring by SRE and Chaos Engineering indeed builds a strong, flexible system for predictive maintenance and production optimization in manufacturing.

**Figure 2:** ROC curve

The Figure 2 illustrates the efficiency of a binary classification algorithm with True Positive Rate (TPR) at the y-axis whereas with False Positive Rate (FPR) at the x-axis. Sensitivity or Recall relates to TPR, which means how many actual positives the model can identify accurately, while on the other hand, FPR is related to 1 - Specificity; it says how many actual negatives are being falsely classified into the positive category. The model at AUC, which is the area under the curve, with a score of 0.995183, is highly capable in differentiating both classes, and its performance comes quite closer into the perfectionist side. The closeness to the top-left corner (0,1) indicates that the model has very low false positives, with very high true positives, thus representing an ideal model. Whereas the dashed diagonal line indicates a random classifier, having an AUC of 0.5, reiterating that the model's ROC curve is far superior. Thus, it indicates how the model is tremendously better off than random classification.

**Figure 3:** Model Accuracy

The model performance on machine learning was seen over the 50 epochs as presented in Figure 3, where the x-axis represented epochs and on the y-axis, the values of accuracy range from 0.95 to 1.0. The Training Accuracy (Blue Line) shows a steady rise as it improves with the training data, nearing 1.0 by the end. The Validation Accuracy (Green Line) also rises, showing that the model can also generalize well on unseen data, though some fluctuations were present due to the validation set variability. The accuracy curves obviously rise together, and the distance between them remains small. This signifies the model does not suffer from underfitting or overfitting. This shows even learning and good generalization, and this makes the model itself ready to go into the production stage without much overfitting.



5 CONCLUSIONS

This study proposes a novel paradigm for optimizing the manufacturing process through the application of Random Forest for predictive maintenance, and then leveraging Principal Component Analysis (PCA) for feature extraction. The system is also made failure resilient while working under production-real conditions through the integration of SRE and Chaos Engineering. This continuous monitoring and retraining of model make sure to adapt itself to the new data and changing conditions in its manufacturing environment without losing performance. Effectiveness of the model is supported by experimental proof with a lot of AUC and steady improvements in accuracy across training and validation sets. It provides complete solutions for improving the efficiency of manufacturing processes and reliability; hence, it becomes a very good option for adoption in the industry. Future work can be focused on improvements in the model to make it work in even more complex production environments and further increase its adaptability in terms of changes that happen real-time.

REFERENCE

- [1] Rai, R., Tiwari, M. K., Ivanov, D., & Dolgui, A. (2021). Machine learning in manufacturing and industry 4.0 applications. *International Journal of Production Research*, 59(16), 4773-4778.
- [2] Mamidala, V., & Balachander, J. (2018). AI-driven software-defined cloud computing: A reinforcement learning approach for autonomous resource management and optimization. *International Journal of Engineering Research and Science & Technology*, 14(3).
- [3] Acosta, P. C., Terán, H. C., Arteaga, O., & Terán, M. B. (2020). Machine learning in intelligent manufacturing system for optimization of production costs and overall effectiveness of equipment in fabrication models. In *Journal of Physics: Conference Series* (Vol. 1432, No. 1, p. 012085). IOP Publishing.
- [4] Min, Q., Lu, Y., Liu, Z., Su, C., & Wang, B. (2019). Machine learning based digital twin framework for production optimization in petrochemical industry. *International Journal of Information Management*, 49, 502-519.
- [5] Gattupalli, K., & Lakshmana Kumar, R. (2018). Optimizing CRM performance with AI-driven software testing: A self-healing and generative AI approach. *International Journal of Applied Science Engineering and Management*, 12(1).
- [6] Essien, A., & Giannetti, C. (2020). A deep learning model for smart manufacturing using convolutional LSTM neural network autoencoders. *IEEE Transactions on Industrial Informatics*, 16(9), 6069-6078.
- [7] Jampani, S., Avancha, S., Mangal, A., Singh, S. P., Jain, S., & Agarwal, R. (2023). Machine learning algorithms for supply chain optimisation. *International Journal of Research in Modern Engineering and Emerging Technology (IJRMEET)*, 11(4).
- [8] Ganesan, T., & Hemnath, R. (2018). Lightweight AI for smart home security: IoT sensor-based automated botnet detection. *International Journal of Engineering Research and Science & Technology*. 14(1).
- [9] Wang, C., Tan, X. P., Tor, S. B., & Lim, C. S. (2020). Machine learning in additive manufacturing: State-of-the-art and perspectives. *Additive Manufacturing*, 36, 101538.
- [10] Zhou, Z., Kearnes, S., Li, L., Zare, R. N., & Riley, P. (2019). Optimization of molecules via deep reinforcement learning. *Scientific reports*, 9(1), 10752.
- [11] Deevi, D. P., & Jayanthi, S. (2018). Scalable Medical Image Analysis Using CNNs and DFS with Data Sharding for Efficient Processing. *International Journal of Life Sciences Biotechnology and Pharma Sciences*, 14(1), 16-22.
- [12] Gadde, H. (2020). AI-Assisted Decision-Making in Database Normalization and Optimization. *International Journal of Machine Learning Research in Cybersecurity and Artificial Intelligence*, 11(1), 230-259.
- [13] Ning, C., & You, F. (2019). Optimization under uncertainty in the era of big data and deep learning: When machine learning meets mathematical programming. *Computers & Chemical Engineering*, 125, 434-448.
- [14] Peddi, S., & Aiswarya, RS. (2018). Securing healthcare in cloud-based storage for protecting sensitive patient data. *International Journal of Information Technology and Computer Engineering*, 6(1)
- [15] Gu, G. X., Chen, C. T., & Buehler, M. J. (2018). De novo composite design based on machine learning algorithm. *Extreme Mechanics Letters*, 18, 19-28.
- [16] Tulli, S. K. C. (2023). Enhancing Marketing, Sales, Innovation, and Financial Management Through Machine Learning. *International Journal of Modern Computing*, 6(1), 41-52.
- [17] Narla, S., & Kumar, R. L. (2018). Privacy-Preserving Personalized Healthcare Data in Cloud Environments via Secure Multi-Party Computation and Gradient Descent Optimization. *Chinese Traditional Medicine Journal*, 1(2), 13-19.
- [18] Mazyavkina, N., Sviridov, S., Ivanov, S., & Burnaev, E. (2021). Reinforcement learning for combinatorial optimization: A survey. *Computers & Operations Research*, 134, 105400.



- [19] Chen, R., Yang, B., Li, S., & Wang, S. (2020). A self-learning genetic algorithm based on reinforcement learning for flexible job-shop scheduling problem. *Computers & industrial engineering*, 149, 106778.
- [20] Srinivasan, K., & Arulkumaran, G. (2018). LSTM-based threat detection in healthcare: A cloud-native security framework using Azure services. *International Journal of Modern Electronics and Communication Engineering*, 6(2)
- [21] Wang, J., Jiang, C., Zhang, H., Ren, Y., Chen, K. C., & Hanzo, L. (2020). Thirty years of machine learning: The road to Pareto-optimal wireless networks. *IEEE Communications Surveys & Tutorials*, 22(3), 1472-1514.
- [22] Baduge, S. K., Thilakarathna, S., Perera, J. S., Arashpour, M., Sharafi, P., Teodosio, B., ... & Mendis, P. (2022). Artificial intelligence and smart vision for building and construction 4.0: Machine and deep learning methods and applications. *Automation in Construction*, 141, 104440.
- [23] Alagarsundaram, P., & Arulkumaran, G. (2018). Enhancing Healthcare Cloud Security with a Comprehensive Analysis for Authentication. *Indo-American Journal of Life Sciences and Biotechnology*, 15(1), 17-23.
- [24] Ahmad, T., Madonski, R., Zhang, D., Huang, C., & Mujeeb, A. (2022). Data-driven probabilistic machine learning in sustainable smart energy/smart energy systems: Key developments, challenges, and future research opportunities in the context of smart grid paradigm. *Renewable and Sustainable Energy Reviews*, 160, 112128.
- [25] Velaga, S. P. (2020). Ai-assisted Code Generation and Optimization: Leveraging Machine Learning to Enhance Software Development Processes. *International Journal of Innovations in Engineering Research and Technology*, 7(09), 177-186.
- [26] Kethu, S. S., & Thanjaivadivel, M. (2018). SECURE CLOUD-BASED CRM DATA MANAGEMENT USING AES ENCRYPTION/DECRYPTION. *International Journal of HRM and Organizational Behavior*, 6(3), 1-7.
- [27] Faraji Niri, M., Liu, K., Apachitei, G., Lain, M. J., Widanage, W. D., & Marco, J. (2022). Quantifying key factors for optimised manufacturing of Li-ion battery anode and cathode via artificial intelligence. *Energy and AI*, 100.
- [28] James, J. Q., Yu, W., & Gu, J. (2019). Online vehicle routing with neural combinatorial optimization and deep reinforcement learning. *IEEE Transactions on Intelligent Transportation Systems*, 20(10), 3806-3817.
- [29] Dyavani, N. R., & Rathna, S. (2018). Real-Time Path Optimization for Autonomous Farming Using ANFTAPP and IoV-Driven Hex Grid Mapping. *International Journal of Advances in Agricultural Science and Technology*, 5(3), 86-94.
- [30] Sircar, A., Yadav, K., Rayavarapu, K., Bist, N., & Oza, H. (2021). Application of machine learning and artificial intelligence in oil and gas industry. *Petroleum Research*, 6(4), 379-391.
- [31] Kollmann, H. T., Abueidda, D. W., Koric, S., Guleryuz, E., & Sobh, N. A. (2020). Deep learning for topology optimization of 2D metamaterials. *Materials & Design*, 196, 109098.
- [32] Kibria, M. G., Nguyen, K., Villardi, G. P., Zhao, O., Ishizu, K., & Kojima, F. (2018). Big data analytics, machine learning, and artificial intelligence in next-generation wireless networks. *IEEE access*, 6, 32328-32338.
- [33] Musham, N. K., & Pushpakumar, R. (2018). Securing cloud infrastructure in banking using encryption-driven strategies for data protection and compliance. *International Journal of Computer Science Engineering Techniques*, 3(5), 33-39.
- [34] Usama, M., Qadir, J., Raza, A., Arif, H., Yau, K. L. A., Elkhatib, Y., ... & Al-Fuqaha, A. (2019). Unsupervised machine learning for networking: Techniques, applications and research challenges. *IEEE access*, 7, 65579-65615.
- [35] Ahmed, S. F., Alam, M. S. B., Hassan, M., Rozbu, M. R., Ishtiaq, T., Rafa, N., ... & Gandomi, A. H. (2023). Deep learning modelling techniques: current progress, applications, advantages, and challenges. *Artificial Intelligence Review*, 56(11), 13521-13617.
- [36] Basani, D. K. R., & RS, A. (2018). Integrating IoT and robotics for autonomous signal processing in smart environment. *International Journal of Computer Science and Information Technologies*, 6(2), 90-99. ISSN 2347-3657.
- [37] Ayvaz, S., & Alpay, K. (2021). Predictive maintenance system for production lines in manufacturing: A machine learning approach using IoT data in real-time. *Expert Systems with Applications*, 173, 114598.
- [38] Yang, K. K., Wu, Z., & Arnold, F. H. (2019). Machine-learning-guided directed evolution for protein engineering. *Nature methods*, 16(8), 687-694.
- [39] Zhao, Y., Qi, X., Ma, Y., Li, Z., Malekian, R., & Sotelo, M. A. (2020). Path following optimization for an underactuated USV using smoothly-convergent deep reinforcement learning. *IEEE Transactions on Intelligent Transportation Systems*, 22(10), 6208-6220.



- [40]Ramar, V. A., & Rathna, S. (2018). Implementing Generative Adversarial Networks and Cloud Services for Identifying Breast Cancer in Healthcare Systems. *Indo-American Journal of Life Sciences and Biotechnology*, 15(2), 10-18.
- [41]Asthana, P., & Hazela, B. (2019). Applications of machine learning in improving learning environment. In *Multimedia big data computing for IoT applications: concepts, paradigms and solutions* (pp. 417-433). Singapore: Springer Singapore.
- [42]Cooney, C., Korik, A., Folli, R., & Coyle, D. (2020). Evaluation of hyperparameter optimization in machine and deep learning methods for decoding imagined speech EEG. *Sensors*, 20(16), 4629.
- [43]Natarajan, D. R., & Kurunthachalam, A. (2018). Efficient Remote Patient Monitoring Using Multi-Parameter Devices and Cloud with Priority-Based Data Transmission Optimization. *Indo-American Journal of Life Sciences and Biotechnology*, 15(3), 112-121.
- [44]Zhou, X., Zheng, X., Cui, X., Shi, J., Liang, W., Yan, Z., ... & Wang, K. I. K. (2023). Digital twin enhanced federated reinforcement learning with lightweight knowledge distillation in mobile networks. *IEEE Journal on Selected Areas in Communications*, 41(10), 3191-3211.
- [45]Ganesan, S., & Kurunthachalam, A. (2018). Enhancing financial predictions using LSTM and cloud technologies: A data-driven approach. *Indo-American Journal of Life Sciences and Biotechnology*, 15(1).